

Paris Pit CAP

October 30, 2012



Agenda

Welcome

Minutes from Last Meeting

Dufferin Paris Pit - General Update

Review of Paris Pit site plan

- Overview of license

- Today's standards

- Phases of extraction and rehabilitation

- Below water table extraction

- Improving the Paris Pit Site Plan

- Today's standards – permits and approvals

Next steps

General Discussion



Dufferin Update - Communications Since Last CAP Meeting

- *Re-location of site entrance*: Ministry of Natural Resources (MNR) provided approval on October 29, 2012 for the entrance re-location. This approval confirms that the Paris Pit Site Plan meets **today's standards**.
- *Permit To Take Water Application*: Ministry of Environment (MOE) requested a site visit and we hosted them on October 17th and 25th. The purpose of these meetings was a pre-brief on the PTTW process
 - ▶ Provided confirmation on the Pit licence
 - ▶ Gained understanding of site features

The Paris Pit Licence

- The site was licensed in 1974 under the *Pits and Quarries Control Act* as a result of decision by the Ontario Municipal Board (OMB). The OMB recommended a licence be issued based on the hydrogeological technical work presented.
- In 1990 the Province replaced the *Pits and Quarries Control Act* with the *Aggregate Resources Act*. It was a requirement of all licence holders in the Province to update their site plans to the new Provincial Standards.
- The currently approved site plans for the Paris Pit meet and exceed the current Provincial Standards.



The Paris Pit Site Plan – Operating at Today’s Standards

While our license was obtained in 1974, Dufferin Aggregates will operate the Paris Pit based on **TODAY’S standards.**

It is the law and regulation:

- Ontario Aggregate Resources Act:
http://www.e-laws.gov.on.ca/html/statutes/english/elaws_statutes_90a08_e.htm
- Ontario Water Resources Act:
http://www.e-laws.gov.on.ca/html/statutes/english/elaws_statutes_90o40_e.htm
- Ministry of Environment- Permit to Take Water:
http://www.ene.gov.on.ca/environment/en/industry/assessment_and_approvals/water_taking/STDPROD_075554.html
- Ministry of Environment – Environmental Compliance Approval:
http://www.ene.gov.on.ca/environment/en/industry/assessment_and_approvals/environmental_approvals/index.htm
- Ministry of Natural Resources - Endangered Species Act:
http://www.mnr.gov.on.ca/en/Business/Species/2ColumnSubPage/STEL01_131232.html
- Technical Standards and Safety Authority - Fuel Storage Standards:
<http://www.tssa.org/regulated/fuels/default.asp>

As any new rules and regulation take effect, we are required and we will comply with any new standards and regulation. It is the law and how we do business..

The Paris Pit Site Plans

- Current Provincial Standards specify the details to be illustrated on the site plans. A minimum of three separate drawings must illustrate:
 - ▶ **Existing Features** – details include reflection of the condition of the site at the time the licence was issued. Information includes boundary of area to be licensed, boundary of area to be extracted, topography, existing buildings and entrances, elevation of the established water table, zoning and land uses, location of existing tree cover on and within 120 m of site, existing water courses on and within 120 m of site
 - ▶ **Operations** – details include sequence and phasing of operations, details on stripping of topsoil and overburden, berm and stockpile locations and heights, location of processing plants, fuel storage, final depth of extraction, tree screens, hours of operation, internal haul roads, entrance locations, scrap storage location, equipment to be used on site
 - ▶ **Progressive and Final Rehabilitation** – details include sequence and direction of progressive rehabilitation, details on how topsoil and overburden will be used, how slopes will be established, details on importing soil, details on type of vegetation to be established, final grades
 - ▶ **Cross Sections** – details included existing grades, final grades, berm designs
- Refer to the *Aggregate Resources Act Provincial Standards* for all of the required details.

Paris Pit – MNR Approved Site Plans – Site Environment



Paris Pit – MNR Approved Site Plans – Site Environment

DRAWING INDEX

- 1 of 5 Site Environs
- 2 of 5 Existing Features
- 3 of 5 Operational Plan
- 4 of 5 Operational Plan
- 5 of 5 Progressive Rehabilitation and Final Rehabilitation Plan

This site plan is prepared for submission to the Ministry of Natural Resources in conjunction with an application and is accordance with Section 59(3) under the Aggregate Resources Act and Regulations.

Source of aerial photography: Mill 2010.

Legend

-  Licensed Boundary
-  Limit Of Extraction
-  Proposed Entrance/Exit
Monitored and regulated by a gate (minimum of 1.2 metres high) which will be locked at all times when the pit is not in operation and will remain through Phases 1-4
-  Municipal Boundary
-  Existing Field Entrance



KEY PLAN














 Subject Property

Scale 1"=1 mile



Paris Pit MNR Approved Site Plans – Existing Features

Legend

	Licensed Boundary		Limit Of Extraction
	Proposed Entrance/Exit Maintained and regulated by a gate (minimum of 1.2 metres high) which will be locked at all times when the pit is not in operation and all access through Phases 1-8		Contour Elevation Feet (Metres) Above Sea Level
	Spot Elevation Feet (Metres)		Surface Drainage
	Existing Field Entrance		Existing Fence Feet & Miles (at the time of the original site plans)
	Existing Structure Left as shown on plan for all buildings within the Licensed Boundary.		Water Table Water table information provided by Jagger Hires Limited based on piezometer monitoring and existing well inventory
	Existing Vegetation See notes on this plan		Piezometer Location provided by Jagger Hires Limited
	Water Well		Municipal Boundary

NOTES:

1. Topographic information obtained from existing site plans prepared by "Marshall Macklin Monaghan" dated February 1973. All available information is shown.
2. Boundary information obtained from "MacAulay, White & Muir Ltd." dated August 2011.
3.

Licensed Area	248.81 ha	(615 Ac)
Area of Extraction	207.68 ha	(513 Ac)
Existing Disturbed Area	1.75 ha	(4.32 Ac)
4. All dimensions are in metres unless otherwise noted.
Contour interval is 5' (1.524m)
5. Water well locations obtained from Jagger Hires Limited, 1990. All wells within 300 metres are shown. Onsite piezometers will continue to be monitored for water level data and quality at least three times annually. This monitoring program will continue throughout the life of the pit operations.
6. Zoning information obtained from the township of South Dumfries Zoning By-law 40-88 (June 1988) and the Town of Paris Zoning By-law No. 2794 (October 1989).
7. Vegetation inventory completed by MacNaughton Hermesen Britton Clarkson Planning Limited July 23, 1991. Height and composition based on visual estimation.
8. Existing land use is agricultural. In addition, the eastern portion of the site (future Phase 8) may be used on an interim basis, for golf course related uses (not to include any buildings, structures or storage facilities).


Paris Pit MNR Approved Site Plans – Existing Features

UNLESS NOTED BELOW ALL WELLS ARE DRILLED
 INDICATES A DUG WELL
 INDICATES A HALF DUG HALF DRILLED WELL

WATER WELL TABLE			
Water Well No.	Elevation (m)	Water Found (m)	Static Water Level (m)
1158	259.1	48.8	27.4
2265	262.7	14.6	9.1
1304	252.4	22.9	19.2
1578	249.9	--	--
2369	248.0	13.1	7.3
1150	231.6	15.2	1.5
1151	231.6	13.7	2.7
1152	231.6	13.7	2.7
1153	231.6	18.6	2.7
1155	245.4	20.4	12.2
1156	246.3	20.4	11.3
1157	246.0	20.4	11.6
1*	--	8.4	8.4
2*	--	12.6	12.6
3°	--	9.1	9.1
4°	--	--	--
5	246.0	--	--
P1	272.1	15.7	15.7
P2	262.8	12.8	12.8
P3	254.8	8.6	8.6
P4	251.8	15.1	15.1
4A-1	251.5	18.4	18.4
4A-2	251.5	15.2	15.2
P5-1	255.2	11.2	11.2
5-2	254.8	10.8	10.8
5A	255.1	18.7	18.7
P6	240.9	5.2	5.2
1154	231.6	7.9	1.8

SOURCE: Jagger Hims Limited Consulting Engineers
 registered MOE Water Well Records.


Paris Pit Site Map – Phases of Extraction



Licence
Boundary




Below water
Extraction




Processing
Area



Direction of
Extraction &
Phasing






















Paris Pit Site Plan – Phases of Extraction and Progressive Rehabilitation



Paris Pit Site Plan – Phases of Extraction and Progressive Rehabilitation


Legend

-  Licensed Boundary
-  Proposed Entrance/Exit
Accessed and regulated by a gate (minimum of 1.2 metres high) which will be located at all times when the pit is not in operation and will remain through Phases 1-6
-  Area Under Progressive Rehabilitation
-  Stripping
-  Area Rehabilitated
-  Existing Fence
Thick and thin - See Diagrams of Operation & Note 7 Site Page
-  Nursery Stock Planting Areas
See Note 10 Site page
-  Proposed Final Elevation
-  Conveyor Route
Approximate location
-  Existing Vegetation
See page 2 of 5 for detailed description
-  Limit Of Extraction
See page 2 of 5 for definition
-  Existing Field Entrance
For emergency and site service purposes
-  Extraction
-  Direction of Excavation
-  Proposed Fence
Thick and thin - See Diagrams of Operation & Note 7 Site Page
-  Proposed Tree Screen
See note 8 this page
-  Existing Contour Elevation
-  Processing Plant and Stockpile Area
Approximate area as shown on Diagrams of Operation (Site page) at 10 m
-  Excavation Setback Area That May Be Used For Stockpiling

GENERAL NOTES:

1. Sequence of stripping, extraction, progressive rehabilitation and reclamation to be completed and allowed to close the ground between and around all processing and reclamation. Storage capacity, layout and extent will be revised regularly to allow with the progressive reclamation or closure in the phase notes. Some temporary boundary of road/hailed or the all floor structures will if needed for a height may be required depending on location of all and site suitable for progressive reclamation.
 2. A final verification of the all profile to well area will be carried out prior to allowing. Where there are distinguishable signs of erosion and soil, the all be stripped and stored/replaced separately. At least one meter will be retained for use in the progressive reclamation of the all in accordance with the progressive reclamation table on page 5 of 5.
 3. The current processing plant will be located in Phase 1. The excavation setting areas will be excavated below the water table with the maximum depth of 1 metre and then that low settled to the grade will be stored or required. Setting area flow will be used in the progressive reclamation of water all of flow. That water is the ability of the processing plant will all exceed 15 metres in height. There is no preliminary design condition for the processing plant. For a temporary setting 1.5 m of water to provide any water regarding sand, silt or otherwise or on the first day and program. When the grade are determined, they will be comparable like the pit. The storage will be above ground, located in the vicinity of the processing plant, and concrete within or between structures designed to hold 100% of the low level capacity.
 4. Excavation all about 10-15 m and the capacity of the site. The height of the excavation will vary depending on the topography. Additional the may be required to some portions of the all due to topography and the requirement to control conditions of material being fed to the plant. Heavy metal and debris will be used to separate and feed the material to the existing processing plant. As the operation moves further from the pit and as it becomes feasible, a concrete column will be established. Once the concrete column is established, the capacity of the material will be moved to storage from the active phase to the processing plant.
 5. A fenceable primary barrier may be required prior to the commencement of the processing plant. Temporary processing equipment may also be used throughout the life of the operation and would be located in the active phase. The concrete column may also include a transfer opening of 10 m dia.
 6. With the location of the position of setting area area, every all be in accordance with the water table and Phase 5. The result of the hydrogeological monitoring will be reviewed by the licensee prior to the start of Phase 5. Excavation in Phases 1-7 will range at least 1 meter above the water table (see cross-section page 2 of 5 for location of water table). The proposed all conditions shown if the reclamation plan do not represent a maximum depth of activities but do include the representation of up to 1 metre of all.
- Any area including from water activity will be removed areas of the vicinity of the processing plant. Long will be removed from the site or in nearby areas. An area will be required into the site for storage. Inevitable erosion and concrete may also be temporarily required in the vicinity of the processing plant for incorporation into this process.
7. Fencing south of Water Pond Road will be erected prior to the start of Phase 1 and will be maintained throughout the life of the operation. Fencing north of Water Pond Road will be erected prior to the commencement of Phase 3 and maintained throughout Phases 4, 5, 6, 7 and 8. The location of operations (this page) for details on existing and proposed fencing. The timing of fencing elements a condition of approval 10 (under separate provisions) will be provided for by regulation 10 (1). Fencing may be offset from the licensed boundary where required to protect areas operation. The fence boundary will be marked with white 1.5m high posts where there is no fence.
 8. Limestone material in the former secondary storage with floor that was used to store material at regularly on to their common locations with other equipment. The material is all to be removed through the site and immediate proximity of the all. It appears a ground. The material will be progressively removed to be used with suitable offset grade on a side of 10 metres and maximum at least be one meter will gate for a period of more than 1 calendar month. As more than 10 metres (maximum) will be removed at the site prior to starting in the license 10. That the processing will be approved the permit and reclamation conditions of the all and operations and plant.
 9. The low area will be excavated below and during Phase 1 using 30 centimetres high setting in an approximate depth of 1,000 tonnes/ha (under separate). The low area will include approximately 400 tonnes/ha (under separate) and 100 tonnes. The surface areas will be excavated from the existing site (existing) and more limited site development. That all may also be transferred to the low area.
- | Gravel | Sand | Slack |
|-------------|-------------|-------------|
| 1000 tonnes | 1000 tonnes | 1000 tonnes |
| 1000 tonnes | 1000 tonnes | 1000 tonnes |
| 1000 tonnes | 1000 tonnes | 1000 tonnes |
| 1000 tonnes | 1000 tonnes | 1000 tonnes |
10. The surface area setting area will be established during Phase 1 using 30 centimetres high setting in an approximate depth of 1,000 tonnes/ha. The surface area will include approximately 100 tonnes/ha and 100 tonnes/ha. The low area will be excavated from the existing site (existing) and more limited site development. That all may also be transferred to the low area. The surface areas will be excavated from the existing site (existing) and more limited site development. That all may also be transferred to the low area.
 11. Removal material including the surface, heavy stock piling area, heavy material and progressive reclamation will be completed in a timely manner. Inevitable setting will be located at least.
 12. It is required that all surface through all surface through the all face in the all to prevent any surface control will be provided during all setting area setting area. Setting area area will be used for all will be stored in 10 m a month.
 13. It is required to provide provided by the site plan, of suitable process, and have operation and safe.
 14. It is required that all surface through all surface through the all face in the all to prevent any surface control will be provided during all setting area setting area. Setting area area will be used for all will be stored in 10 m a month.

Paris Pit Site Plan – Phases of Extraction and Progressive Rehabilitation



Typical 3.0m Berm Detail


SCALE: Hor. 1:150
Vert. 1:150

This detail will be varied along the length of proposed berms so that the berm configuration (location and height) will be varied to create a more natural looking screen. 3.0m is an approximate height. The actual height will vary depending on topsoil or overburden storage requirements, but would normally range from 2–4 metres and the slope exposed to the licence boundary may vary from a minimum of 2:1 to a maximum of 4:1.

Processing Plant Examples

Legend

- 1 - Four (4) side grizzly w/ face
- 2 - Two (2) 100' x 30' primary feed conveyors
- 3 - 800' x 30' ground conveyor from site
- 4 - Portable jaw crusher with feed conveyor
- 5 - Feed bin for stone same
- 6 - 8' x 20' deck w/ screen
- 7 - Secondary cone crusher
- 8 - Feed bin for surge pile
- 9 - 7' x 20' 3-deck w/ screen
- 10 - Storage bin
- 11 - Sand plant pipeline & transfer structure
- 12 - Four (4) 400' x 30' ground conveyor to stock piles (bottom to produce)
- 13 - One (1) 400' x 30' ground conveyor to surge pile
- 14 - Two (2) 120' x 30' road portable rubber shaker
- 15 - One (1) 120' x 30' road portable rubber shaker
- 16 - Two (2) 120' x 30' road portable rubber shaker
- 17 - Five (5) gravel bins
- 18 - One (1) linear water pump (not shown on drawing)
- 19 - Control tower & buffer platform/structure, valves, plugs, doors
- 20 - Plant generator



PORTABLE PLANT - LAYOUT
N.T.S.



PHOTO #1 - Primary Jaw Crusher



PHOTO #3 - Secondary Cone Crusher




PHOTO #2 - Screen Deck



PHOTO #4 - Sand Plant

Paris Pit Site Plan – Phases of Extraction and Progressive Rehabilitation



OPERATIONAL PLAN 4 of 5

Legend

- License Boundary
- Proposed Extraction Pit
- Area Under Progressive Rehabilitation
- Striping
- Area Rehabilitated
- Nearby Block Planting Area
- Proposed Final Elevation
- Contour Mark
- Limit Of Extraction
- Existing Vegetation
- Excavation
- Direction of Extraction
- Proposed Tree Screen
- Final Contour Elevation
- Processing Plant and Storage Area
- Excavation Setback Area That May be Used for Stockpiling

SITE PLAN OVERVIEW

NO.	REVISION	DATE
1	ISSUED FOR PERMITTING	10/30/2012
2	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	11/15/2012
3	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	12/10/2012
4	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	01/10/2013
5	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	02/10/2013
6	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	03/10/2013
7	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	04/10/2013
8	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	05/10/2013
9	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	06/10/2013
10	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	07/10/2013
11	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	08/10/2013
12	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	09/10/2013
13	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	10/10/2013
14	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	11/10/2013
15	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	12/10/2013
16	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	01/10/2014
17	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	02/10/2014
18	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	03/10/2014
19	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	04/10/2014
20	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	05/10/2014
21	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	06/10/2014
22	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	07/10/2014
23	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	08/10/2014
24	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	09/10/2014
25	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	10/10/2014
26	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	11/10/2014
27	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	12/10/2014
28	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	01/10/2015
29	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	02/10/2015
30	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	03/10/2015
31	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	04/10/2015
32	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	05/10/2015
33	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	06/10/2015
34	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	07/10/2015
35	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	08/10/2015
36	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	09/10/2015
37	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	10/10/2015
38	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	11/10/2015
39	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	12/10/2015
40	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	01/10/2016
41	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	02/10/2016
42	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	03/10/2016
43	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	04/10/2016
44	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	05/10/2016
45	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	06/10/2016
46	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	07/10/2016
47	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	08/10/2016
48	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	09/10/2016
49	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	10/10/2016
50	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	11/10/2016
51	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	12/10/2016
52	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	01/10/2017
53	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	02/10/2017
54	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	03/10/2017
55	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	04/10/2017
56	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	05/10/2017
57	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	06/10/2017
58	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	07/10/2017
59	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	08/10/2017
60	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	09/10/2017
61	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	10/10/2017
62	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	11/10/2017
63	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	12/10/2017
64	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	01/10/2018
65	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	02/10/2018
66	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	03/10/2018
67	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	04/10/2018
68	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	05/10/2018
69	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	06/10/2018
70	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	07/10/2018
71	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	08/10/2018
72	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	09/10/2018
73	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	10/10/2018
74	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	11/10/2018
75	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	12/10/2018
76	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	01/10/2019
77	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	02/10/2019
78	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	03/10/2019
79	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	04/10/2019
80	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	05/10/2019
81	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	06/10/2019
82	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	07/10/2019
83	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	08/10/2019
84	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	09/10/2019
85	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	10/10/2019
86	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	11/10/2019
87	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	12/10/2019
88	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	01/10/2020
89	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	02/10/2020
90	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	03/10/2020
91	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	04/10/2020
92	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	05/10/2020
93	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	06/10/2020
94	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	07/10/2020
95	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	08/10/2020
96	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	09/10/2020
97	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	10/10/2020
98	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	11/10/2020
99	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	12/10/2020
100	REVISED TO REFLECT COMMENTS FROM THE TOWN OF BRANT	01/10/2021

J.H. COHOON ENGINEERING LIMITED

1000 ...

...

PARIS PIT

Dufferin Aggregates

in a division of Holcim (Canada) Inc.


388 9738




Extraction Below the Water Table

- The site plan includes the approval to extract below the water table in two locations. The design of the phasing is for this to occur as the last phase – more than 20 years in the future.
- Prior to the below water extraction occurring:
 - ▶ Source pond development for the PTTW will occur outside the Well Head Protection Area
 - ▶ Ground water monitoring will be continued as a check and balance against our PTTW and ARA license commitments
 - ▶ Source Water Protection plans will have been approved by MOE and will be implemented
 - ▶ Ongoing 3rd party monitoring by the MOE, County, GRCA
- We are committed to drinking water source protection and protection of the natural environment. Extraction at the Paris Pit will not impact the available quantity of water nor the water quality.


Paris Pit Site Plan –Progressive and Final Rehabilitation



Paris Pit Site Plan –Progressive and Final Rehabilitation



Paris Pit Site Plan –Progressive and Final Rehabilitation



PROGRESSIVE REHABILITATION DETAIL

NOT TO SCALE


Making Improvements to the Paris Pit Site Plan and Operation

- In preparation for the commencement of operations, Dufferin Aggregates applied for the following license amendments to redesign the site plan:
 - ▶ Minor amendment to the ARA to move the plant location outside the Wellhead Protection Area – *approved February 2012*
 - ▶ Major amendment to the ARA to re-locate the site entrance in order to minimize the number of trucks that will pass our neighbours' properties – *approved October 29, 2012*



Making Improvements to the Paris Pit Site Plan and Operation

- There have been concerns raised that since the licence for the Paris Pit was approved in 1974, it will not meet the current standards. Dufferin is required to and is committed to meeting the current standards.
- We are moving forward carefully:
 - ▶ Ongoing communications with the CAP, public, County, First Nations, GRCA, MOE, MNR
 - ▶ Conducting technical studies using current standards
 - Archaeology
 - Hydrogeology
 - Ecology
 - Transportation
 - ▶ Strong baseline monitoring data with continuous monitoring programs



Today's Standards – Permits and Approvals

Dufferin will be applying for the following permits, approvals and compliance, ***“in addition to approvals provided by this site plan, all applicable provincial and federal legislation will apply.”*** (See Site Plan Page 3, note 13):

- **Existing Licence Condition – Spills Plan Implementation**

- ▶ Spills prevention and remediation plan
- ▶ Licence condition by MNR with approval from MOE

- **Permit To Take Water (PTTW)**

- ▶ In order to wash aggregates, a PTTW is required. Washing is required to remove fines to produce some aggregate products to the approved specifications
- ▶ The PTTW is issued and regulated by the MOE
- ▶ Dufferin will be filing a PTTW application for the Paris Pit
- ▶ Dufferin will carry out pre-consultation with MOE, GRCA, County, CAP, First Nations and CCOB prior to formally filing

- **Aggregate Washing – Environmental Compliance Approval (ECA isw)**

- ▶ An ECA (isw) for the source water and settling pond associated with the PTTW
- ▶ The ECA (isw) is issued and regulated by the Ministry of Environment (MOE)

Today's Standards – Permits and Approvals

Dufferin will be applying for the following permits, approvals and compliance, ***“in addition to approvals provided by this site plan, all applicable provincial and federal legislation will apply.”*** (See Site Plan Page 3, note 13):

- **Processing Plant – Environmental Compliance Approval (ECA air)**

- ▶ An ECA (air) is required to operate a processing plant
- ▶ The ECA (air) is issued and regulated by the Ministry of Environment (MOE)
- ▶ The processing equipment to be used will have an ECA (air) and the requirements of the ECA (air) will be implemented
- ▶ New approvals are posted on the Environmental Bill of Rights registry (EBR). If a contractor is used, they will already have an ECA (air).

- **Ministry of Natural Resources - Ecology**

- ▶ Dufferin will continue with the ecology review/monitoring in 2012
- ▶ To date no significant features or species have been identified
- ▶ The 2012 work will include a review of the MNR Species at Risk list for Brant County

- **Technical Standards and Safety Authority (TSSA)**

- ▶ The TSSA regulates the handling and storage of fuels
- ▶ Fuels and lubricants are the only chemicals that will be used in operations
- ▶ All Dufferin operations and employees are trained on spill prevention, handling and remediation. Dufferin has an Environmental Management System to implement these activities.
- ▶ Fuel storage will be in double walled above ground tanks located on an impervious pad

General Discussion

- We understand that there are concerns from the community that certain questions are not getting answered by Dufferin Aggregates
 - ▶ We are committed to answering any and all questions we receive and ongoing dialogue with the community
- Today, you have the opportunity to ask any question you feel hasn't been answered clearly. We will:
 - ▶ Try to answer the question today as effectively as possible
 - ▶ Develop a FAQ following the CAP meeting containing all questions and answers
- We've tried to answer the questions and concerns as we understood them.

Next Steps

- Schedule pre-consultation meetings with various agencies for PTTW application
- Continue to listen to community concerns
 - ▶ Next public meeting will be scheduled in the new year
- Continue to liaise with public through Community Advisory Panel
 - ▶ Next CAP meeting: 2013
 - Topics could include:
 - Cornerstone Standards Council (SERA/AFO)
 - PTTW consultation



Dufferin
Aggregates

A division of Holcim (Canada) Inc.